

# Network Security

## Web Security

# HTTP Fundamentals

- RFC 1945 – HTTP 1.0
- RFC 2616 – HTTP 1.1
- RFC 2396 – URL/URI syntax
- [www.w3.org](http://www.w3.org) - World Wide Web Consortium (W3C) - Check this site regularly

# Tim Berners-Lee



## Biography

<http://www.ibiblio.org/pioneers/lee.html>

<http://www.w3.org/People/Berners-Lee/>

## Interview With Christopher Lydon

<http://media.skybuilders.com/Lydon/Berners-Lee.1.mp3>

# HTTP Fundamentals

- Traditional Client/Server Model
- Listens on port 80
- Glorified FTP server
- HTTP transmits resources rather than files
- Universal Resource Locator (URL) – a subset of URI

# HTTP Fundamentals

- A request line has three parts, separated by spaces: a *method* name, the *local path* of the requested resource, and the *version of HTTP* being used.

`GET /path/to/file/index.html HTTP/1.0`

- Other methods: HEAD and POST

# HTML Fundamentals

- `<h1>`An important heading`</h1>`
- `<h2>`A slightly less important heading`</h2>`
- `<p>`This is the first paragraph.`</p>`  
`<p>`This is the second paragraph.`</p>`
- This is a really `<em>`interesting`</em>` topic!

# HTML Fundamentals

## An important heading

### A slightly less important heading

This is the first paragraph.

This is the second paragraph.

This is a really *interesting* topic!

# Famous Web Attacks

- “These cyber assaults have caused millions of Internet users to be denied services. At this time we are not aware of the motives behind these attacks. But they appear to be intended to disrupt legitimate electronic commerce.” – *Janet Reno in response to a series of DoS attack in early 2000.*



# Famous Web Attacks

- The Royal Canadian Mounted Police have charged a teenage computer hacker in one of the February cyber attacks that crippled several popular Web sites. The suspect is a 15-year-old boy known online by the nickname "Mafiaboy" – *FOX News, 4/19/2000*

# Famous Web Attacks

- A 17-year-old New Hampshire computer junkie known as "Coolio" may be charged in a handful of vandalism incidents at private and government Web sites according to U.S. federal law enforcement sources. Coolio hacked into and defaced three Web sites: D.A.R.E., an anti-drug organization; Internet security company RSA Security; and the U.S. government's Chemical Weapons Convention site, FBI sources said. – *Reuters, 3/3/2000*

# Web Security Considerations

- **Internet is two way** – unlike tradition publishing, it's vulnerable to attacks
- **High visibility** – public image, reputation, copyrights
- **Complex software** – protocol is simple, but client/server application is complex
- **Vulnerability point** – web server can be a launch pad for further attacks


# Web Security Threats

	Threats	Consequences	Countermeasures
<b>Integrity</b>	<ul style="list-style-type: none"> <li>•Modification of user data</li> <li>•Trojan horse browser</li> <li>•Modification of memory</li> <li>•Modification of message traffic in transit</li> </ul>	<ul style="list-style-type: none"> <li>•Loss of information</li> <li>•Compromise of machine</li> <li>•Vulnerability to all other threats</li> </ul>	Cryptographic checksums
<b>Confidentiality</b>	<ul style="list-style-type: none"> <li>•Eavesdropping on the Net</li> <li>•Theft of info from server</li> <li>•Theft of data from client</li> <li>•Info about network configuration</li> <li>•Info about which client talks to server</li> </ul>	<ul style="list-style-type: none"> <li>•Loss of information</li> <li>•Loss of privacy</li> </ul>	Encryption, web proxies
<b>Denial of Service</b>	<ul style="list-style-type: none"> <li>•Killing of user threads</li> <li>•Flooding machine with bogus requests</li> <li>•Filling up disk or memory</li> <li>•Isolating machine by DNS attacks</li> </ul>	<ul style="list-style-type: none"> <li>•Disruptive</li> <li>•Annoying</li> <li>•Prevent user from getting work done</li> </ul>	Difficult to prevent
<b>Authentication</b>	<ul style="list-style-type: none"> <li>•Impersonation of legitimate users</li> <li>•Data forgery</li> </ul>	<ul style="list-style-type: none"> <li>•Misrepresentation of user</li> <li>•Belief that false information is valid</li> </ul>	Cryptographic techniques

# Web Traffic Security Approaches

- Classify security threats by location: web server, web browser and network traffic
- We're concerned with *traffic*
- IPsec
- Secure Sockets Layer (**SSL**)
- Transport Layer Security (**TLS**)
- Secure Electronic Transaction (**SET**)

# Web Security Approaches



Transparent to  
end users

Above TCP.  
Embedded in  
packages

Application  
Specific - SET

# SSL Origins


- Originated by Netscape
- Competed with SHTTP
- Version 3 became Internet draft
- TLS (Transport Layer Security) is an attempt to develop a common standard
- SSLv3.1 = TLS

# SSL Architecture

- Depends on TCP for end-to-end reliability
- Two layers of protocols:
  - SSL Record Protocol – basic security services to higher layers
  - Three higher layer protocols - used in the management of SSL exchanges



# SSL Protocol Stack



# SSL

## Architecture/Concepts

- **Connection** – *peer-to-peer* relationships in the *transport layer*. Every connection is associated with one session
- **Session** – *an association* between a client and a server created by the *Handshake Protocol*
  - Define a set of cryptographic security parameters, which can be shared among multiple connections
  - Avoid the expensive negotiation of new security parameters for each connection

# SSL Statefulness

- Multiple secure connections in a session
- Number of states associated with each session
- **Current** operating state for read and write (receive and send)
- **Pending** read and write states created during Handshake Protocol

# Session State

- **Session identifier** – arbitrary byte sequence chosen by the server
- **Peer certificate** – X.509.v3 digital certificate of peer; may be null
- **Compression method**
- **Cipher spec** – algorithms used (AES, MD5)
- **Master secret** – 48 byte shared key
- **Is resumable** – session can be used to initiate new connections

# Connection State


- **Server and client random** – byte sequences chosen for each connection
- **Server/Client write MAC secret** – secret key used in MAC operations on data sent by the server/client
- **Server/Client write key** – conventional encryption key
- **Initialization vectors** – needed for CBC mode
- **Sequence numbers** – separate for xmit & recv

# SSL Record Protocol

Provides *two important services* for SSL connections:

- **Confidentiality** – Handshake Protocol defines a secret key for conventional encryption of SSL payloads
- **Integrity** – Handshake Protocol defines a shared secret key used to form a message authentication code (MAC)

# SSL Record Protocol Ops



# SSL Record Protocol Ops


- **Fragmentation** – block of 16K bytes or less
- **Compression** – optional, must not increase content length beyond 1024 bytes
- **Message authentication code (MAC)** – uses shared secret key, similar to HMAC algorithm



# Recall: HMAC

- Effort to develop a **MAC** derived from a cryptographic **hash code**
- Executes **faster** in software
- No export restrictions
- Relies on a **secret key**
- **RFC 2104** list design objectives
- Used in **IPsec**

# HMAC Structure



By passing  $S_i$  and  $S_o$  through the hash algorithm, we have pseudorandomly generated two keys from  $K$ .

# SSL Record Protocol Ops

- Message authentication code (MAC) – two pads are concatenated in SSLv3 but XORed in HMAC
- SSLv3 was based on original internet draft for HMAC, which used concatenation
- $\text{hash}(\text{secret\_key} \parallel 0x5C\_pad \parallel \text{hash}(\text{secret\_key} \parallel 0x36\_pad \parallel \text{seq\_num} \parallel \text{compress\_type} \parallel \text{length} \parallel \text{fragment}))$


# SSL Record Protocol Ops

- Compressed message plus the MAC are **encrypted using symmetric encryption**
- **Can't increase** content length by more than 1K bytes
- May use **padding** – for cipher block
- IDEA, DES, 3DES, Fortezza (NSA product)

# SSL Record Protocol Ops

- Final step is to **prepend a header** with following fields:
  - **Content type** – the higher layer protocol used to process the enclosed fragment
  - **Major version** – SSLv3
  - **Minor version** – value of 0
  - **Compressed length** – plaintext fragment length in bytes

# SSL Record Format



# Content Types

Four types:

- **Change Cipher Spec** – simplest protocol consists of a single byte message that *causes the pending state to be copied into the current state which updates cipher suite to be used*

1 byte




**Change Cipher Spec Protocol**

# Content Types

Four types:

- **Alert** – 2 byte protocol used to convey SSL related alerts to the peer entity. 1<sup>st</sup> byte is either a warning or fatal, which terminates the connection. 2<sup>nd</sup> byte indicates specific alert

1 byte 1 byte



**Alert Protocol**




# Content Types

Four types:

- **Application Data** – this is opaque data to SSL. No distinction made among the various applications

**≥1 byte**



**Other upper-layer protocol (e.g., HTTP)**

# Content Types

Four types:

- **Handshake** – allows server and client to authenticate each other and negotiate an encryption and MAC algorithm. Used before any application data is transmitted. Consists of a series of messages

**1 byte    3 bytes     $\geq 0$  bytes**




**Handshake Protocol**

# Handshake Protocol Message Types

Message Type	Parameters
hello_request	null
client_hello	version, random, session id, cipher suite, compression method
server_hello	version, random, session id, cipher suite, compression method
certificate	chain of X.509v3 certificates
server_key_exchange	parameters, signature
certificate_request	type, authorities
server_done	null
certificate_verify	signature
client_key_exchange	parameters, signature
finished	hash value

# Handshake Protocol Action




Phase 1

Phase 2

Phase 3

Phase 4

# Handshake Protocol



# Handshake Protocol – Phase 1

- **Initiate** a logical connection and **establish** security capabilities
- Client send **client\_hello** message with nonce, session ID, cipher suite (decreasing order of preference), compress method
- Server returns **server\_hello** message with nonce and selection of proposed parameters
- **Key exchanges:** RSA | fixed, ephemeral, or anonymous Diffie-Hellman | Fortezza

# Handshake Protocol – Phase 2

- Most of this is **optional**
- Server sends its certificate (**X.509s**) if it needs to be authenticated
- **server\_key\_exchange** message is sent. This is a hash which includes nonces to prevent replay attacks
- Server can send a **certificate\_request** message to the client
- Finally the **server\_done** message (no parms) is always sent by the server to indicate the end of hello, authentication and exchange message
- Server waits for client response

# Handshake Protocol – Phase 3

- Client now **verifies** the **certificate** if requested and checks parameters
- A **certificate** message is sent if server requests it
- **client\_key\_exchange** message sent to exchange keys
- **certificate\_verify** message may be sent to verify the client's ownership of the private key for the client certificate



# Handshake Protocol – Phase 4

- Completes the setting up of a secure connection
- Client sends a `change_cipher_spec` message and copies the pending CipherSpec into the current CipherSpec
- Client sends `finished` message under the new algorithm, keys and secrets
- In response to these two messages, the server does the same
- **Handshake is complete** and the client and server may begin to exchange application layer data

# Cryptographic Computations

- **Master Secret Creation** – two stages: pre-master-secret exchange (RSA or Diffie-hellman) and master secret computation by both sides
- **Generation of Cryptographic Parameters** – the master-secret is a seed value for functions that generate the client/server MAC secret, keys, and IV

# Transport Layer Security

- TLS is an Internet standard to replace SSLv3
- Defined in RFC 2246
- Record format is the same as SSL Record Format
- TLS makes use of HMAC (padding bytes are XORed)

# Transport Layer Security

- **PRF**, pseudorandom function, expands small shared secrets into longer blocks of data. Uses two hash functions (RSA & SHA-1) for added security
- Similar **alert** codes to SSL with a few new additions
- **Cipher suites** are the same except for Fortezza (not supported)

# Digital Watermarks



Watermark



Image with watermark

# Digital Watermarks

- Complements the cryptographic processes
- Visible or invisible identification code that is permanently embedded in the multimedia data
- Removal of the watermark is virtually impossible
- Composed of a bit pattern distributed throughout the data based on noise theory
- Causes no visual aural degradation of the image

# Jessica Fridrich

- Inventor of the most commonly used method for speed-solving the Rubik's Cube, better known as speedcubing.
- Specialist in all aspects of watermarking for authentication and tamper detection, self-embedding, robust watermarking, steganography and steganalysis, forensic analysis of digital images (detection of forgeries), advanced image processing and encryption techniques
- <http://www.ws.binghamton.edu/fridrich/>



# Important URLs

- <http://docs.sun.com/source/816-6156-10/contents.htm>  
Introduction to SSL from Netscape
- <http://www.openssl.org/>  
A very good open source version
- <http://www.ietf.org/html.charters/tls-charter.html>  
IETF TLS WOrkgroup
- <http://www.forensics.nl/digital-watermarking>  
Good collection of digital watermarking papers



# Homework

- Read Chapter Seven (7.1 & 7.2)
- Submit topic for term paper by next week

# Network Security

## Web Security – Part 2

# Secure Electronic Transaction

- Mastercard & Visa – 1996
- **SET** is an open encryption and security specification designed to protect credit card transactions on the Internet
- Microsoft, Netscape, RSA, Versign
- **1998** – first set of SET compliant products

# Secure Electronic Transaction

- SET is **not** a payment system
- Set of security protocols enabling the use of the **existing credit card** payment infrastructure **over the Internet** in a secure fashion
- Three services:
  - **Secure** communications channel
  - **Trust** through X.509v3 certificates
  - Ensures **privacy**


# SET Requirements – Book 1

- Provide confidentiality of payment & ordering – encryption
- Ensure integrity of data – digital signatures
- Verify cardholder is legitimate user of a valid account – signatures and certificates
- Ensure use of best security practices – well tested specification
- Protocol is independent of transport security mechanisms – “raw” TCP/IP, IPSec, or SSL
- Interoperability among software & network providers – independent of platforms & OS

# SET Features

- **Confidentiality of information** – prevents the merchant from learning the cardholder's credit card number; conventional encryption
- **Integrity of data** – guarantees that message contents are not altered in transit; RSA digital signatures
- **Cardholder account authentication** – merchants can verify that cardholder is a legitimate user; X509 certificates
- **Merchant authentication** – cardholders can verify that a merchant has a relationship with a financial institution

# Secure Electronic Commerce Components



# 3-D Secure

- **3-D Secure** is a XML-based protocol to allow authentication of cardholders of credit card companies in ePayment transactions. The protocol was developed by Visa and was adopted under the names Verified By Visa and Mastercard Secure Code.
- **Visa 3-D Secure Payment Program**



# This Week In Aviation



## The Spirit of St. Louis Was Completed